



Server Configuration

- If SQLServer is installed in Default instance then we have to use only Computer Name.
- If it is not in default mode then we have to use Slash(\) Service name.



;Tester.vshc ▼ 💽 Su:	spend + Thread:	<u>स्त</u> ्र ज्ञू	Stack Frame	:
Server Machine Config	guration			[
erver Configuration	SQL Server Services	[Configuration]		
S	erver Machine :			
	Server Name :	5129\Saggst		
	Database (Log) :	SAGGSTLog		
	Port Number :	1433 Machine Mode :	Always Same	
If it is LAN then enter the default Login details user name is sa and password is sa#1234#	Login Details : User Name : Password :			
Server App Dir : E:	\Projects\Current Proje	Ping Server Test Conn.		Is used for checking the computer Connectivity
	Save C	Config Exit		
f LAN then select the path from server where SAGGST is installed If Local Machine then select the local machine Path		Click On Save Config Button		Is used for checking the Server Machine Connectivity



SQL Server

ſ	s/	4 Server	Machine Config	Brushes 🛛 🚖 🎽	<u> </u>			Size Color	
		Server	Configuration	SQL Server Serv	vices [Configura	ation]	1		
ē	_		Instance Id	Instance Name	Service Name		Version	Edition	Status
9		•	SAGINFOTECH	SAGGST	MSSQL\$SAGGS	т	10.52.4000.0	Express Edit	Running
			SAG	SAGINFO	MSSQL\$SAGIN	FO	10.52.4000.0	Express Edit	Running
						If SQ then you v chec then confi	L Services are these Item a want to config k its status if select the Ite gure	e installed in t re shown in t gure first of a it is in RUNNI em Which you	he system he list and if Il you have to NG status I wan to
		LAN	Setting	TCP / IP	Refresh		Start	Stop	Restart
				S	ave Config	E	xit		
				Click O Setti Butt	n LAN ngs con				



• If you want to configure the LAN settings than first of all Click on LAN settings button then a Pop up box is Shown.

ogin Settings				
-Login Ma	de :			
	Authentication Mode : Windows		For Access Select	sing L/ : the
	Mixed (Windows and SQL Server)		Authenticat Mixed N	ion N Node
	Jser Name :			
	Password :			
Always Select	Login Status : © Enabled © Disabled	Enter User Pa	the Default Name And asword	
the Enable				
	Update	С	ancel	
		Cl bu	ick On Updat tton to upda	e te



- Then a Pop Up box is shown which will ask for the service restart then click on Yes button if you want to restart the service.
- After that click on TCP/IP Button then a Pop up box is shown where user has to set the IP Addressess.

٠

		10.2		
Active :	No	Active :	No 👻	
Enabled :	Yes	Enabled :	Yes	
IP Address :	fe80::f1d8:97a3.2fc3	IP Address :	192.168.0.129	
TCP Dynamic Ports :	0	TCP Dynamic Ports		
TCP Port :	1433	In IP1, IP2	2, IP3, IP4, IP5,	
102		mode is	s always yes.	
Active :	Yes 👻	Active :	Yes 👻	=
Enabled :	Yes 👻	Enabled :	Yes 👻	
IP Address :	192.168.1.254	IP Address :	::1	
TCP Dynamic Ports :	0	TCP Dynamic Ports :	0	
TCP Port :		TCP Port :		
IP5				
Active :	Yes 🔻	Active :	Yes 🔻	
Enabled :	Yes 👻	Enabled :	Yes 👻	
IP Address :	127.0.0.1	IP Address :	fe80::5efe:192.168.0	
TCP Dynamic Ports :	0	TCP Dynamic Ports :	0	
TCP Port :		TCP Port :		-

Click On Enable Button it will convert Every active and enable mode into yes



erver	Configuration	SQL Server Serv	vices [Configuration]			
	Instance Id	Instance Name	Service Name	Version	Edition	Status
•	SAGINFOTECH	SAGGST	MSSQL\$SAGGST	10.52.4000.0	Express Edit	Running
	SAG	SAGINFO	MSSQL\$SAGINFO	10.52.4000.0	Express Edit	Running

• After that click on Save button to save changes.